CHS5196



Safety Data Sheet

Issue date 08-Oct-2019

Version 3

1. Identification of the Substance/Preparation and of the Company/Undertaking

Product Identifier

Product name

CHAMPION SPRAYON INSTANT ACTION FOAMING CLEANER DISINFECTANT AND

DEODORIZER

Chemical name

7-7787-3

Other means of identification

Product code Synonyms

FG 438-5196-6GHS Disinfectant and cleaner

Registration number(s)

498-62

Recommended use of the chemical and restrictions on use

Recommended Use

To clean and deodorize all hard, nonporous washable household surfaces such as

bathtubs, sinks, toilet bowl seats, etc.

Uses advised against

Do not use as a glass cleaner.

Details of the supplier of the safety data sheet

Supplier Address

Manufacturer Address

Chase Products Co. 2727 Gardner Road Chase Products Co. 2727 Gardner Road Broadview, IL 60155

Broadview, IL 60155 708-865-1000

708-865-1000

Emergency Telephone Number

Company Phone Number 24 Hour Emergency Phone Number 1-800-255-3824

708-865-1000

Emergency telephone

ChemTel 1-800-255-3924

2. Hazards Identification

Classification

Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Gases Under Pressure	liquefied gas

Label Elements

EMERGENCY OVERVIEW

DANGER

hazard statements

Causes severe skin burns and eye damage Contains gas under pressure; may explode if heated



Appearance White foam

Physical State Aerosol

Odor Lemon

Precautionary Statements - Prevention

Do not breathe fumes, mist, vapors or spray.

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves, protective clothing, eye protection and face protection.

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor

Specific treatment: See additional cautionary statements on this label.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a POISON CENTER or doctor

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a POISON CENTER or doctor

IF SWALLOWED: rinse mouth. Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Protect from sunlight. Store in a well-ventilated place

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other Information

· Harmful to aquatic life

Less than 2 % of the mixture consists of ingredient(s) of unknown toxicity.

3. Composition/information on Ingredients

Synonyms Disinfectant and cleaner.

Chemical Family MIXTURES. Formula 7-7787-3

Chemical nature Aqueous solution of active ingredients, surfactants and cleaners.

Chemical name	CAS No	weight-%	Trade secret
Water	7732-18-5	85-90	*
N-Butane	106-97-8	1-5	*
Trisodium Phosphate Crystals	10101-89-0	1-5	*
2-Butoxyethanol	111-76-2	1-5	*
Propane	74-98-6	1-5	*

Chemical Additions

4. First aid measures

FIRST AID MEASURES

Eye Contact Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact

lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control

center or doctor for treatment advice.

Skin contact Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20

minutes. Call a poison control center or doctor for treatment advise.

Inhalation If overcome by vapor, move person to fresh air.

See label for active ingredients information.

^{*} The exact percentage (concentration) of composition has been withheld as a trade secret.

Ingestion

Ingestion from an aerosol product is unlikely to occur.

Most important symptoms and effects, both acute and delayed

Symptoms

Irritating to the eyes on contact. May cause stinging, redness and swelling of the eyes. May cause mild irritation. Prolonged and repeated contact may cause redness, burning, drying and cracking of the skin. 2-Butoxyethanol penetrates skin readily. Frequent or wide spread contact may result on skin absorption of potentially harmful amounts.

Indication of any immediate medical attention and special treatment needed

Note to physicians

None needed.

5. Fire-fighting measures

Suitable extinguishing media

Dry chemical, CO2 or water spray.

Unsuitable extinguishing media Use water spray or fog; do not use straight streams.

Specific hazards arising from the chemical

Containers are under pressure. Temperatures above 130 °F may cause cans to burst.

Hazardous combustion products Thermal decomposition may yield gases like carbon monoxide and carbon dioxide.

Explosion data

Sensitivity to Mechanical Impact Contents under pressure, keep away from heat and open flame.

Sensitivity to Static Discharge

Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric

motors and static electricity).

Protective equipment and precautions for firefighters

Use personal protective equipment as required.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions

CONTENTS UNDER PRESSURE. Do not puncture or incinerate cans.

Other Information

Keep out of reach of children.

Environmental precautions

Environmental precautions

See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment

Provide adequate ventilation to area being treated. Soak up spills with chemically inert,

absorbent material.

Methods for cleaning up

Clean contaminated surface thoroughly.

7. Handling and Storage

Precautions for safe handling

Advice on safe handling

Avoid contact with eyes. Avoid prolonged contact with the skin. Keep out of reach of

children.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Store in a cool, dry place away from heat and open flame. Avoid storing at below-freezing

temperatures. AEROSOL STORAGE LEVEL I (NFPA-30B) .

Incompatible Materials

Avoid heat, open flame and contact with strong oxidizers.

8. Exposure Controls/Personal Protection

Control parameters

Exposure guidelines

See occupational exposure limits listed below.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
N-Butane 106-97-8	STEL: 1000 ppm explosion hazard	(vacated) TWA: 800 ppm (vacated) TWA: 1900 mg/m³	IDLH: 1600 ppm TWA: 800 ppm TWA: 1900 mg/m³
2-Butoxyethanol 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m³ (vacated) TWA: 25 ppm (vacated) TWA: 25 mg/m³ (vacated) S* S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m³
Propane 74-98-6	: See Appendix F: Minimal Oxygen Content, explosion hazard	TWA: 1000 ppm TWA: 1800 mg/m³ (vacated) TWA: 1000 ppm (vacated) TWA: 1800 mg/m³	IDLH: 2100 ppm TWA: 1000 ppm TWA: 1800 mg/m³

Appropriate engineering controls

Engineering controls

Use with adequate general or local exhaust ventilation.

Individual protection measures, such as personal protective equipment

Eye/face Protection

Conventional eyeglasses to guard against splashing.

Skin and Body Protection

Household type gloves.

Respiratory protection

Use in a well-ventilated area ONLY. None required if used in a well-ventilated area. Follow

label directions for correct use of the product...

General hygiene considerations

Wash hands thoroughly after handling.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Physical State

Aerosol

Appearance Color

Flash Point

White foam

Odor Odor threshold Lemon

Values

Property

Evaporation Rate

White

Remarks · Method

No information available

Melting point/freezing point Boiling point/boiling range

12.5 NA

212 °F/100 °C Not Available. This is an aerosol

No information available No information available No information available

No information available

product for which Flame Projection is 0

inches. Temperatures above 120 °F

may cause cans to burst.

Faster than butyl acetate

No information available No information available

No information available

Flammability (solid, gas)

Flammability Limits in Air

Not available

Upper flammability limits **Lower Flammability Limit** Not available

Vapor pressure

Vapor Density

Relative Density Water solubility

Solubility in other solvents Partition coefficient **Autoignition Temperature** Decomposition temperature

Kinematic viscosity Dynamic viscosity

Oxidizing properties

Explosive properties

Other Information

Softening point Molecular weight

VOC content (%) Density **Bulk Density**

Not available

1.005 +/- 0.005 concentrate

completely soluble

No information available No information available

No information available

No information available No information available

No information available 6.92%

No information available

No information available 8.37 Lb/gal

10. Stability and Reactivity

Reactivity

Not applicable

No data available

Chemical stability

Stable.

Possibility of hazardous reactions

Temperatures above 130 °F may cause cans to burst with force.

hazardous polymerization

Hazardous polymerization does not occur.

Conditions to Avoid

Temperatures above 122 °F (50 °C).

Incompatible Materials

Avoid heat, open flame and contact with strong oxidizers.

Hazardous decomposition products

Thermal decomposition may yield gases like carbon monoxide and carbon dioxide.

11. Toxicological Information

Information on likely routes of exposure

Product Information

This product has not been tested as whole. See below for information on ingredients.

Inhalation

See data below.

Eye Contact

No data available.

Skin contact

No data available.

Ingestion

This is an aerosol product, ingestion is unlikely to occur. MAY BE HARMFUL IF

SWALLOWED.

Chemical name	Oral LD50	dermal LD50	Inhalation LC50
Water	> 90 mL/kg (Rat)	-	7

7732-18-5			
N-Butane 106-97-8	-	_	= 658 g/m³ (Rat) 4 h
Trisodium Phosphate Crystals 10101-89-0	= 7400 mg/kg (Rat)		-
2-Butoxyethanol 111-76-2	= 470 mg/kg (Rat)	= 99 mg/kg (Rabbit)	= 450 ppm (Rat) 4 h = 486 ppm (Rat) 4 h
Propane	-	<u>-</u>	> 800000 ppm (Rat) 15 min

Information on toxicological effects

Symptoms

See information above.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationMay cause skin irritation after contact with skin. 2-Butoxyethanol penetrates skin readily.

Frequent or wide spread contact may results on skin absorption of potentially harmful

amounts.

sensitization
Germ cell mutagenicity
Carcinogenicity

No information available. No information available.

Not known chronic effects based on available data. None of the ingredients present in

excess of 0.1% are listed as carcinogenic by NTP, IARC or OSHA.

Chemical name	ACGIH	IARC	NTP	OSHA
2-Butoxyethanol	A3	Group 3		
111-76-2		· ·		

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration Hazard
No information available.
No information available.
No information available.

Numerical measures of toxicity - Product Information

Unknown acute toxicity Less than 2 % of the mixture consists of ingredient(s) of unknown toxicity.

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 17518 mg/kg
ATEmix (dermal) 44000 mg/kg
ATEmix (inhalation-gas) 27894 mg/l
ATEmix (inhalation-dust/mist) 60 mg/l
ATEmix (inhalation-vapor) 8595 mg/l

12. Ecological Information

ecotoxicity

 $6.1\,\%$ of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical name	Algae/aquatic plants	Fîsh	Toxicity to Microorganisms	Crustacea
2-Butoxyethanol		1490: 96 h Lepomis		1698 - 1940: 24 h Daphnia
111-76-2		macrochirus mg/L LC50		magna mg/L EC50 1000: 48
		static 2950: 96 h Lepomis macrochirus mg/L LC50		h Daphnia magna mg/L
	l	macrocilius mg/E EC30		EC50

Persistence and degradability

No information available.

Bioaccumulation

See information below.

Chemical name	Partition coefficient

•

N-Butane 106-97-8	2.89
2-Butoxyethanol 111-76-2	0.81
Propane 74-98-6	2.3

Other adverse effects

No information available

13. Disposal Considerations

Waste treatment methods

Disposal of wastes Do not puncture or incinerate container. If empty: Place in trash or offer for recycling if

available. If partly filled: Call your local solid waste agency for disposal instructions.

Contaminated packaging Pressurized container: Do not pierce or burn, even after use.

14. Transport Information

DOT

UN/ID no

Limited Quantity

Proper Shipping Name

Consumer Commodity

Hazard Class

ORM-D

<u>IATA</u>

UN/ID no

UN1950

Proper Shipping Name

Aerosols, flammable

Hazard Class

2.1

IMDG

UN/ID no

UN1950

Proper Shipping Name

Aerosols, flammable

Hazard Class

2.1

Marine pollutant

This product does not contain marine pollutants.

15. Regulatory information

International Inventories

TSCA

All ingredients of this product are listed or are excluded from listing under the U.S. Toxic Subtances Control Act (TSCA) Chemical Substance Inventory.

DSL

All ingredients are listed or are excluded from listing on the DSL.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

This product contains the following toxic chemicals (above the de minimis level) subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-to-Know Act of 1986 and 40 CFR 372. This information must be included in all SDSs that are copied and distributed for this material.

Chemical name	CAS No	weight-%	SARA 313 - Threshold Values %
2-Butoxyethanol - 111-76-2	111-76-2	1-5	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard	yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Trisodium Phosphate				X
Crystals				
10101-89-0				

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Trisodium Phosphate Crystals	5000 lb		RQ 5000 lb final RQ
10101-89-0			RQ 2270 kg final RQ

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Water 7732-18-5			X
N-Butane 106-97-8	X	X	X
Trisodium Phosphate Crystals 10101-89-0		X	X
2-Butoxyethanol 111-76-2	X	X	Х
Propane 74-98-6	X	X	X

U.S. EPA Label information

EPA Pesticide registration number 498-62

EPA Statement

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: CAUTION: Do not spray in eyes. In case of eye contact, flush thoroughly with water. If irritation persists, get medical attention. Avoid spraying on food.

16. Other information

NFPA

Health Hazards 1

Flammability 1

Instability 1

Physical and chemical

properties Not applicable

HMIS

Health Hazards 1

Flammability 2

Physical hazards 1

Personal Protection B -Eyes and hands protection

Prepared by

Regulatory Department

Issue date

08-Oct-2019

Revision note

This SDS supersedes a previous SDS dated October 29, 2018.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet