

Safety Data Sheet

Section 1 - Identification



Alizarin Crimson Hue / 1450B ¹
Anthraquinone Blue / 1005
Azo Gold / 1302 ¹
Azurite Hue / 1464B
Benzimidazolone Burnt Orange / 1006
Benzimidazolone Yellow Light / 1009
Benzimidazolone Yellow Medium / 1008
Bismuth Vanadate Yellow / 1007
Bone Black / 1010 ²
Burnt Sienna / 1020 ³
Burnt Umber / 1030 ^{3,4}
Burnt Umber Light / 1035 ^{3,4}
Cadmium Orange / 1070 ⁵
Cadmium Red Dark / 1080 ⁵
Cadmium Red Light / 1090 ⁵
Cadmium Red Medium / 1100 ⁵
Cadmium Red Medium Hue / 1552
Cadmium Yellow Dark / 1110 ⁵
Cadmium Yellow Light / 1120 ⁵
Cadmium Yellow Medium / 1130 ⁵
Cadmium Yellow Medium Hue / 1554B
Cadmium Yellow Primrose / 1135 ⁵
Carbon Black / 1040 ²
Cerulean Blue, Chromium / 1050
Cerulean Blue Deep / 1051
Chromium Oxide Green / 1060
Chromium Oxide Green Dark / 1061
Cobalt Blue / 1140
Cobalt Blue Hue / 1556

Cobalt Green / 1142
Cobalt Teal / 1145
Cobalt Turquoise / 1144
Cobalt Violet Hue / 1465B
Diarylide Yellow / 1147
Dioxazine Purple / 1150
Graphite Gray / 1160
Green Gold / 1170B ¹
Hansa Yellow Opaque / 1191
Hookers Green Hue / 1454 ¹
India Yellow Hue / 1455C ¹
Isoindolinone Yellow / 1193
Jenkins Green / 1195 ¹
Light Bismuth Yellow / 1574
Light Green (Blue Shade) / 1558B
Light Green (Yellow Shade) / 1560B
Light Magenta / 1562B
Light Orange / 1575
Light Phthalo Blue / 1577
Light Phthalo Green / 1578
Light Turquoise (Phthalo) / 1564
Light Ultramarine Blue / 1566
Light Violet / 1568
Manganese Blue Hue / 1457B
Mars Black / 1200
Mars Yellow / 1202
Medium Magenta / 1570
Medium Violet / 1572
Naphthol Pink / 1579

Naphthol Red Light / 1210
Naphthol Red Medium / 1220
Naples Yellow Deep / 1222
Naples Yellow Hue / 1459
N2 Neutral Gray / 1442 ²
N3 Neutral Gray / 1443 ²
N4 Neutral Gray / 1444 ²
N5 Neutral Gray / 1445 ²
N6 Neutral Gray / 1446 ²
N7 Neutral Gray / 1447
N8 Neutral Gray / 1448
Nickel Azo Yellow / 1225 ¹
Payne's Gray / 1240 ²
Permanent Green Light / 1250B
Permanent Maroon / 1252B
Permanent Violet Dark / 1253
Phthalo Blue (Green Shade) / 1255
Phthalo Blue (Red Shade) / 1260
Phthalo Green (Blue Shade) / 1270
Phthalo Green (Yellow Shade) / 1275
Primary Cyan / 1500
Primary Magenta / 1510
Primary Yellow / 1530B
Prussian Blue Hue / 1460
Pyrrole Orange / 1276
Pyrrole Red / 1277
Pyrrole Red Dark / 1278
Pyrrole Red Light / 1279
Quinacridone Magenta / 1305

Quinacridone Red / 1310
Quinacridone Violet / 1330
Quinacridone/Nickel Azo Gold / 1301 ¹
Raw Sienna / 1340 ³
Raw Umber / 1350 ^{2,3,4}
Red Oxide / 1360
Sap Green Hue / 1461 ^{1,2}
Smalt Hue / 1467
Teal / 1369
Terre Verte Hue / 1468
Titan Buff / 1370
Titan Green Pale / 1371
Titan Mars Pale / 1576
Titan Violet Pale / 1573
Titanate Yellow / 1375 ¹
Titanium White / 1380
Transparent Brown Iron Oxide / 1383 ²
Transparent Red Iron Oxide / 1385
Transparent Yellow Iron Oxide / 1386
Turquoise (Phthalo) / 1390
Ultramarine Blue / 1400
Ultramarine Violet / 1401
Van Dyke Brown Hue / 1462 ²
Vat Orange / 1403
Violet Oxide / 1405
Viridian Green Hue / 1469B ¹
Yellow Ochre / 1407 ³
Yellow Oxide / 1410
Zinc White / 1415

^{1,2,3,4,5} Denotes Additional Information Found in Section 15

GOLDEN ARTIST COLORS, INC.
188 BELL ROAD
NEW BERLIN, NY 13411

Phone: (607)847-6154
In US and Canada only: (800)959-6543

Prepared by: Regulatory Department

Product Use: Artist's Paint

Not recommended for: Use by children

Section 2 - Hazards Identification

GHS Ratings:

There are no GHS ratings that apply to this product at this time

GHS Hazards

There are no GHS hazards that apply to this product at this time

GHS Precautions

There are no GHS precautions that apply to this product at this time

Section 3 - Hazardous Composition

Chemical Name	CAS number	Weight Concentration %
Not Applicable		

Section 4 - First Aid

Inhalation: Remove subject to fresh air. Small levels of Ammonium Hydroxide (28%) may be present. Give artificial respiration if breathing has stopped. Seek medical attention.

Eye: Flush with water for 15 minutes. Remove contact lenses, if present and easy to do so. If symptoms develop and persist seek medical attention.

Skin: Wash with soap and water. Remove contaminated clothing. Seek medical attention for irritation.

Ingestion: If swallowed, dilute by giving 2 or more glasses of water to drink ONLY IF CONSCIOUS! Do not induce vomiting. Seek medical attention IMMEDIATELY.

Section 5 - Fire Fighting

Flash Point: > 100°C, > 212°F

LEL: N/A

UEL: N/A

Extinguishing Media: Water, Foam, Carbon Dioxide, Dry Chemical, Powder. Do NOT use high pressure Water Spray, as this may spread the fire.

Unusual Fire and Explosion Hazards: Closed containers may rupture via pressure build-up when exposed to fire or extreme heat. During a fire, irritating and highly toxic gases and/ or fumes may generate during combustion or decomposition.

Hazardous Byproducts: Combustion will yield oxides of carbon and nitrogen, as well as, monomer fume. See Section 10 for additional information.

Fire Fighting Procedures: Move containers promptly out of fire zone. If removal is impossible, keep containers cool with water spray. Remain upwind and avoid breathing smoke or fumes.

Special Precautions: Wear self-contained breathing apparatus and full protective gear.

Section 6 - Release

Personal precautions, protective equipment and emergency procedures: Appropriate protective equipment must be worn when handling a spill of this material. See Section - 8 Exposure Control for recommendations. If exposed to material during clean-up operations, see Section 4 - First Aid for actions to follow.

Environmental precautions: Keep spills and cleaning runoff out of municipal sewers and open bodies of water.

Methods and materials for containment and clean-up: Evacuate personnel to safe areas. Ventilate the area to dissipate vapor. Floor may be slippery; use care to avoid falling. Soak up spills with inert absorbent material. Sweep up and collect in suitable container for disposal. Avoid breathing vapor.

Section 7 - Handling

Precautions and safe handling: Use only in well-ventilated areas. Avoid inhalation of vapors/spray and contact with skin and eyes. Wear appropriate personal protective equipment. Read label before use.

Conditions for safe storage: Store in a cool, well-ventilated place. Keep out of the reach of children.

Section 8 - Exposure Control

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
Ammonium Hydroxide (28%) 1336-21-6	TWA 35 mg/m3 PEL, 50 ppm	TWA 18 mg/m3 TLV, 25ppm	Not Established

Engineering Controls: Provide adequate ventilation. Observe Occupational Exposure Limits and minimize the risk of inhalation of possible vapor. Provide easy access to water supply, eye wash or emergency shower.

General Hygiene Considerations: Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Private clothes and work clothes should be kept separate.

Personal Protective Equipment: None required under normal use. For techniques requiring continual hand exposure, gloves are recommended. Safety glasses or goggles recommended when spraying.

Section 9 - Properties

Properties listed are typical and not to be used as a specification.

Appearance: Liquid	Odor: Slight Amine
Vapor Pressure: Not available	Odor threshold: Not available

Vapor Density: Not available Density: 1.00 – 1.40 Freezing point: Not available Boiling range: Not available Evaporation rate: Not available Explosive Limits: Not available Auto ignition temperature: Not available Viscosity: 12000 - 28000 cP	pH: 8.3 – 9.5 Melting point: Not applicable Solubility: Miscible Flash point: > 100°C, > 212°F Flammability: Not applicable Partition coefficient (n-octanol/water): Not available Decomposition temperature: Not available
--	--

Section 10 - Reactivity

Under normal conditions this mixture is considered to be:

STABLE

Materials that are known to be incompatible with this mixture and should be avoided, if applicable:

Acids, high temperatures (see below)

Risk of hazardous decomposition:

Ultramarine Blue, Ultramarine Violet and Payne's Gray – Contact with acids liberates Hydrogen Sulphide (H₂S) gas, at temperatures above 400 C in the presence of air an exothermic reaction can occur with the liberation of Sulphur Dioxide (SO₂) gas.

Cadmiums – May react with strong acids yielding toxic/flammable Hydrogen Sulphide (H₂S) gas, fire/thermal decomposition can produce hazardous fumes (Cadmium Oxide, Selenium Dioxide) and gases (Sulfur Dioxide).

Hazardous polymerization will not occur.

Section 11 - Toxicology

Mixture Toxicity: This mixture as a whole has not been tested to determine its toxicity.

Possible routes of entry or exposure:

Not Applicable

Possible target organs of exposure to this mixture:

Not Available

Effects of Overexposure

Not Available

Carcinogenicity: This mixture as a whole has not been tested to determine its carcinogenic properties.

Section 12 - Ecological Toxicity

Ecotoxicity: This mixture as a whole has not been tested to determine its ecological toxicity.

Section 13 - Disposal

Disposal Instructions: Dispose as per local regulations. It is best to use all material, rather than dispose of it. If necessary, dispose of as latex paint. Cadmium pigmented paints should be treated as hazardous waste.

Section 14 - Transport

<u>Agency</u>	<u>Proper Shipping Name</u>	<u>UN Number</u>	<u>Packing</u>	<u>Hazard Class</u>
DOT	Not Regulated			
IATA	Not Regulated			
IMDG	Not Regulated			

Section 15 - Regulatory

State of California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): WARNING! This product contains the following chemicals which are listed by the State of California as carcinogenic or a reproductive toxin:

<u>CAS#</u>	<u>Description</u>	<u>Hazard</u>
Various	Nickel Compound ¹	Carcinogen
1333-86-4	Carbon Black ²	Carcinogen
14808-60-7	Quartz (Crystalline Silica) ³	Carcinogen
Various	Lead and Lead Compounds ⁴	Carcinogen/Reproductive Toxin
Various	Cadmium Compound ⁵	Carcinogen

<u>Country</u>	<u>Regulation</u>	<u>All Components Listed</u>
AUSTRALIA	AICS- Australian Inventory of Chemical Substances	Yes
CANADA	Domestic Substances List (DSL) and Non-Domestic	Yes
EUROPE	European Inventory of Existing Commercial Chemical	Yes
EUROPE	European List of Notified Chemical Substances	No
JAPAN	Inventory of Existing and New Chemical Substances	No
CHINA	Inventory of Existing Chemical Substances in China	Yes
KOREA	Korean Existing Chemicals Inventory (KECI)	Yes
NEW ZEALAND	New Zealand Inventory of Chemicals (NZIoC)	Yes
PHILIPPINES	Philippine Inventory of Chemicals and Chemical	Yes
USA	Active-Toxic Substances Control Act (TSCA) Inventory	Yes

Section 16 - Other Information

While Golden Artist Colors, Inc. believes the data set forth herein is accurate as of the date hereof, Golden Artist Colors, Inc. makes no warranty with respect to the accuracy of this data and expressly disclaims all liability for reliance thereon. Such data is offered solely for your consideration, investigation, and verification.

Date revised: 2023-09-07

Reviewer Revision 1

Date Prepared: 9/7/2023